

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	: MIRCAM PLUS
Synonyms	: (4-CHLORO-2-METHYLPHENOXY) ACETIC ACID/(R)-2-(4-CHLORO-2-METHYLPHENOXY)PROPIONIC ACID/DICAMBA K salts
Product form	: Mixture
Type (Nufarm)	: Country Specific
Country (Nufarm)	: United Kingdom
CA Code (Nufarm)	: 2773
Product code	: T701A
Oracle Recipe Code (Nufarm)	: OR2773
Item codes	: 110003886

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use, Professional use
Use of the substance/mixture	: Herbicide

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Nufarm UK Limited
Wyke Lane, Bradford
Wyke
BD12 9EJ Bradford - UK
T +44 (0)1274 691234 - F +44 (0) 1274691176
infouk@uk.nufarm.com

1.4. Emergency telephone number

Emergency number : +44 (0)1274 696603

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410
Full text of H-statements: see section 16	


Adverse physicochemical, human health and environmental effects

Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



MIRCAM PLUS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Signal word (CLP)	: Danger
Contains	: (4-CHLORO-2-METHYLPHENOXY) ACETIC ACID/(R)-2-(4-CHLORO-2-METHYLPHENOXY)PROPIONIC ACID/DICAMBA K salts
Hazard statements (CLP)	: H318 - Causes serious eye damage. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P273 - Avoid release to the environment. P280 - Wear eye protection, face protection, protective clothing, protective gloves. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor, a POISON CENTER. P391 - Collect spillage. P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.
EUH-statements	: EUH401 - To avoid risks to human health and the environment, comply with the instructions for use.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(4-CHLORO-2-METHYLPHENOXY) ACETIC ACID, Potassium salt substance with national workplace exposure limit(s) (GB)	(CAS-No.) 5221-16-9 (EC-No.) 226-015-4	25.5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
(R)-2-(4-CHLORO-2-METHYLPHENOXY)PROPIONIC ACID, POTASSIUM SALT substance with national workplace exposure limit(s) (GB)	(CAS-No.) 66423-05-0	4.4	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 2, H411
POTASSIUM 3,6-DICHLORO-O-ANISATE	(CAS-No.) 10007-85-9 (EC-No.) 233-002-7 (EC Index-No.) 607-044-00-5	2	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Call a physician immediately.

MIRCAM PLUS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Call a physician immediately.
First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell. Do not induce vomiting.
Give 500 ml water to drink.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause shortness of breath, tightness of the chest, a sore throat and cough.
Symptoms/effects after skin contact : Causes mild skin irritation.
Symptoms/effects after eye contact : Serious damage to eyes.
Symptoms/effects after ingestion : Abdominal pain, nausea. Ingestion may cause nausea and vomiting. May cause irritation to the digestive tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid the formation of mists in the atmosphere. Do not manipulate the product in a confined space.

MIRCAM PLUS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container closed when not in use. Protect against frost.

Information on mixed storage : Keep out of the reach of children. Avoid contact of substance with water.

Special rules on packaging : Keep only in original container. Store in a closed container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

(4-CHLORO-2-METHYLPHENOXY) ACETIC ACID, Potassium salt (5221-16-9)

United Kingdom - Occupational Exposure Limits

WEL TWA (OEL TWA) [1]	10 mg/m ³ 8 H
WEL STEL (OEL STEL)	20 mg/m ³ 15 min

(R)-2-(4-CHLORO-2-METHYLPHENOXY)PROPIONIC ACID, POTASSIUM SALT (66423-05-0)

United Kingdom - Occupational Exposure Limits

WEL TWA (OEL TWA) [1]	10 mg/m ³ 8 h
WEL STEL (OEL STEL)	20 mg/m ³ 15 min

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

MIRCAM PLUS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Eye protection:			
Type	Field of application	Characteristics	Standard
Safety glasses, Safety goggles		With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection:
According to the conditions of use, protective gloves, apron, boots, head and face protection must be worn. EN 14605

Hand protection:					
Wear suitable gloves resistant to chemical penetration					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.4		EN ISO 374-1/A1 , EN 16523+A1 (type A)
Reusable gloves	Chloroprene rubber (CR)	6 (> 480 minutes)	0.5		EN ISO 374-1/A1 , EN 16523+A1 (type A)
Reusable gloves	Butyl rubber	6 (> 480 minutes)	0.7		EN ISO 374-1/A1 , EN 16523+A1 (type A)
Disposable gloves					EN ISO 374-1/A1 , EN ISO 374-2 (A,B, or C type)

Other skin protection		
Materials for protective clothing:		
Condition	Material	Standard
According to the conditions of use, protective gloves, apron, boots, head and face protection must be worn		EN 14605

8.2.2.3. Respiratory protection

Respiratory protection:			
Users are advised to consider national Occupational Exposure Limits or other equivalent values. Ensure exposure is below occupational exposure limits (where available).			
Device	Filter type	Condition	Standard
respirator with combination filter for vapour/particles	ABEK	In case of inadequate ventilation wear respiratory protection.	EN 14387

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke during use. Keep away from children. Remove contaminated clothing. Separate working clothes from town clothes. Wash contaminated clothing before reuse. Wash hands immediately after handling the product.

MIRCAM PLUS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: brown.
Odour	: Phenolic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing material according to EC criteria.
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: > 100 °C
Auto-ignition temperature	: > 400 °C
Decomposition temperature	: Not available
pH	: 7 (1% aq)
Viscosity, kinematic	: Not available
Viscosity, dynamic	: 4.42 mPa.s (40°C)
Viscosity, dynamic	: 4.56 mPa.s (20°C)
Solubility	: Water: Miscible with water
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water (Log Pow)	: 2.8 (MCPpp)
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: 1.1555
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

MIRCAM PLUS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Combustion produces toxic gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

MIRCAM PLUS	
LD50 oral rat	300 – 2000 mg/kg (MCPA)
LD50 oral	431 mg/kg (MCPPp)
LD50 dermal rat	> 2000 mg/kg (MCPA)
LD50 dermal	> 2000 mg/kg (MCPPp) - Rat
LC50 Inhalation - Rat	> 5 mg/l/4h MCPA
LC50 Inhalation - Rat (Dust/Mist)	> 5.16 mg/l/4h MCPPp

POTASSIUM 3,6-DICHLORO-O-ANISATE (10007-85-9)	
LD50 oral rat	1707 mg/kg Dicamba
LD50 dermal rabbit	> 2000 mg/kg Dicamba
LC50 Inhalation - Rat (Dust/Mist)	> 9.6 mg/l/4h Dicamba

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)
pH: 7 (1% aq)
Serious eye damage/irritation : Causes serious eye damage.
pH: 7 (1% aq)
Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

MIRCAM PLUS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

11.2.2 Other information

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Very toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Very toxic to aquatic life with long lasting effects.

MIRCAM PLUS	
LC50 96h fish	50 mg/l (MCPA)
LC50 96h fish	> 100 (MCPPp)
EC50 48h crustacea	> 190 mg/l (MCPA)
EC50 48h crustacea	> 100 (MCPPp)
EC50 72h algae	> 320 mg/l selenastrum capricornutum (MCPA)
EC50 72h algae	16.2 mg/l MCPPp
NOEC (chronic)	50 mg/l Daphnia magna (MCPA)
NOEC chronic fish	15 mg/l Pimephales promelas (MCPA DMA)
NOEC chronic crustacea	> 100 mg/l Daphnia magna (MCPPp))
Additional ecotoxicological information	

(R)-2-(4-CHLORO-2-METHYLPHENOXY)PROPIONIC ACID, POTASSIUM SALT (66423-05-0)

Additional ecotoxicological information

14d ErC10 (Myriophyllum spicatum) 0.00106 mg/L
14d ErC50 (Myriophyllum spicatum) 0.0269 mg/L

POTASSIUM 3,6-DICHLORO-O-ANISATE (10007-85-9)

LC50 96h fish	135 mg/l Dicamba
EC50 48h crustacea	110 mg/l Dicamba
EC50 72h algae	250 mg/l Dicamba

12.2. Persistence and degradability

MIRCAM PLUS

Persistence and degradability	Readily biodegradable.
Biodegradation	DT50 : 6.3-8.2d. (mecoprop-P). DT50 : 2.1-8d (Dicamba). DT50 : 7-14d (MCPA).

(R)-2-(4-CHLORO-2-METHYLPHENOXY)PROPIONIC ACID, POTASSIUM SALT (66423-05-0)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

POTASSIUM 3,6-DICHLORO-O-ANISATE (10007-85-9)

Persistence and degradability	Not readily biodegradable.
-------------------------------	----------------------------

MIRCAM PLUS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.3. Bioaccumulative potential

MIRCAM PLUS	
Partition coefficient n-octanol/water (Log Pow)	2.8 (MCPp)
Bioaccumulative potential	No bioaccumulation.

12.4. Mobility in soil

MIRCAM PLUS	
Surface tension	50.7 mN/m 20°C
Partition coefficient n-octanol/water (Log Koc)	Koc = 135-167 (mecoprop-P). Kfoc = 3.45-21.2, 1/n=0.72-0.93 (Dicamba). Koc=10-157(MCPA)

12.5. Results of PBT and vPvB assessment

MIRCAM PLUS	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MCPA, Mecoprop-p)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MCPA, Mecoprop-p)	Environmentally hazardous substance, liquid, n.o.s. (MCPA, Mecoprop-p)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MCPA, Mecoprop-p)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MCPA, Mecoprop-p)

MIRCAM PLUS

Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Transport document description (ADR)				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MCPA, Mecoprop- p), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MCPA, Mecoprop- p), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (MCPA, Mecoprop-p), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MCPA, Mecoprop- p), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MCPA, Mecoprop- p), 9, III
14.3. Transport hazard class(es)				
9	9	9	9	9
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	:



EAC code : •3Z

Transport by sea

Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4

MIRCAM PLUS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Tank special provisions (IMDG) : TP2, TP29
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L
Special provisions (IATA) : A97, A158, A197
ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6
Special provisions (ADN) : 274, 335, 375, 601
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6
Special provisions (RID) : 274, 335, 375, 601
Excepted quantities (RID) : E1
Packing instructions (RID) : P001, IBC03, LP01, R001
Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions (RID) : TP1, TP29
Tank codes for RID tanks (RID) : LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

MIRCAM PLUS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
	Adverse health effects caused by endocrine disrupting properties	Added	
	Adverse effects on the environment caused by endocrine disrupting properties	Added	
	Supersedes	Modified	
	Revision date	Modified	
8.2	Other information	Added	
8.2	Respiratory protection	Modified	
8.2	Hand protection	Modified	
8.2	Skin and body protection	Modified	

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

NUFARM SDS TEMPLATE

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.